

Maritec Tanker Management Private Limited

01.00 - Lifesaving Equipment	01.01 - Inflatable Life Rafts	01.01.09 - Life Raft Stowage - Embarkation Ladder condition?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.01 - Inflatable Life Rafts	01.01.10 - Life Raft Stowage - Are all required life rafts located properly at their designated stations and available to float free?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.01 - Inflatable Life Rafts	01.01.11 - Life Raft Stowage - Are launching instructions posted at life raft stations?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.01 - External/internal condition hull material and framing satisfactory (no visible wastage, doublers / re-enforcements fitted, fractures/holes noted)?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.02 - Are side benches/thwarts, clutch holes, gunwales in satisfactory condition with no rot or wastage (including flooring, hull)?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.03 - Each seating position is clearly indicated?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.04 - Are lifeboats intended for launching down sides of vessel, fitted with skates/fenders in satisfactory condition?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.05 - Is the lifeboat stern frame, rudder, stock, tiller and associated fittings in satisfactory condition?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.06 - Except in way of rudder/propeller, are suitable handholds provided or is buoyant line properly bracketed around the outside of lifeboats above waterline within reach a person in water?	Grade - Ok		No			

Maritec Tanker Management Private Limited

01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.07 - Are grab rails on underside of non-self-righting lifeboats in satisfactory condition? (Note: Handholds are to be attached with breakaway fasteners.)	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.08 - Is bilge pump in good condition, especially rubber parts and mounting arrangements? Are suction/ discharge hoses in satisfactory condition with no tears and is the pump operationally tested to confirm it is working properly?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.09 - Are bilges in lifeboats clean and free of water and/or oil or debris?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.10 - Are water containers in satisfactory condition?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.11 - Is there sufficient drinking water in lifeboat? Means should be provided for collecting rainwater. Administration may require manual powered de-salinators.	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.12 - Are sea painter lines correctly attached using toggle pin and ready for immediate use? (Note: Painter should not be lashed to deck.) Is toggle pin in satisfactory condition?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.13 - Is the number of persons which lifeboat is approved to carry clearly marked in permanent characters?	Grade - Ok		No			

Maritec Tanker Management Private Limited

01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.14 - Is the name and port of registry of the ship marked on each side of bow in block capital letters?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.15 - Are the means of identifying the ship to which lifeboat belongs and the number of the lifeboat marked in a way that they are visible from above?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.16 - Are lifeboats frapping lines, lifelines, manropes and rail lashings in satisfactory condition?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.17 - Are anti slip coating on life boat and reflective tape in good condition?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.18 - Are inventory-required lifeboat equipment and provisions verified on board and loose equipment lashed to the boat (food, medicine, first aid, etc.)?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.19 - Are expiry dates of provisions, pyrotechnics and portable fire extinguishers current?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.20 - Are food/equipment lockers dry and watertight?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.21 - Are cap/plugs attached with lanyard/chain provided for lifeboat automatic drains (open when boat not waterborne) clearly marked and operating satisfactorily?	Grade - Ok		No			

Maritec Tanker Management Private Limited

01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.22 - Are the lifeboat engine and clutch tested and do they operate satisfactorily in the ahead and astern modes and can propeller disengage from the engine?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.23 - Are the fuel tank and engine cover in satisfactory condition with no wastage/corrosion and is the fuel tank full?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.24 - Are the lifeboat engine, foundation and exhaust pipe in satisfactory condition?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.25 - Is lifeboat hand propelling equipment (if fitted) operating satisfactorily?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.26 - Are lifeboat oars in satisfactory condition?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.27 - Are oar locks/crutches secured with keeper chains?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.28 - Are boat hooks and support plate in satisfactory condition?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.29 - Is sea anchor with shock resistant hawser and tripping line (optional) present in satisfactory condition?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.30 - Are buoyancy tanks in satisfactory condition?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.31 - Are proper fire extinguishers on the lifeboats?	Grade - Ok		No			

Maritec Tanker Management Private Limited

01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.32 - If the boat has a cover, is the cover and its support in satisfactory condition?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.33 - If the boat has a sail, are the sail and its support in satisfactory condition?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.34 - Is lifeboat compass bowl filled with liquid, card free to rotate, markings legible, operating properly and deviation checked?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.35 - Have the rigid covers of enclosed lifeboats and the closing arrangements for entrances been examined and found satisfactory?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.36 - Have the safety belts for totally enclosed lifeboats been examined and found satisfactory?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.37 - For air-cooled engines on partially/totally enclosed lifeboats, have ducting systems and manuallyoperated dampers been examined and tested and found satisfactory?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.38 - For lifeboats with a self-contained air support system, has the system, including visual indicators to indicate the air supply, been examined and found satisfactory?	Grade - Ok		No			

Maritec Tanker Management Private Limited

01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.39 - For fire-protected lifeboats that have water spray fire protection systems, have the self-priming motors, piping systems and nozzles, seawater intake, and the arrangements for enabling the system to be flushed with freshwater been examined and found satisfactory?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.40 - For rescue boats, have the weathertight stowage lockers for small equipment been examined and found satisfactory?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.41 - Are water-resistant instructions for starting/operating the engines provided in a conspicuous place?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.42 - Have the starter batteries and the means for recharging all batteries for all engine and searchlights been examined, tested and found satisfactory?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.43 - Are lifeboat davits in satisfactory condition, including hand cranks, winches, sheaves, brakes, wheels, blocks and other associated fittings?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.44 - Are lifeboats correctly stowed in davit?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.45 - Is free fall lifeboat properly secured in its davit?		N/A	No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.46 - Have lifeboats been lowered and drills satisfactorily completed (every 3 months) per regulations?	Grade - Ok	22ND JAN 2019	No			

Maritec Tanker Management Private Limited

01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.47 - Has the Annual Thorough Exam been carried out?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.48 - Has the Annual Thorough Exam been carried out - Date last done	Grade - Ok	25 SEPT 2018	No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.49 - Have davit limit switches been tested and found satisfactory?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.50 - Have launching devices/releasing gears been tested and found operating properly releasing all hooks simultaneously when boat is in the water?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.51 - Has it been confirmed that on-load release gear have been overhauled and tested at intervals not exceeding 5 years?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.52 - Has it been confirmed that on-load release gear have been overhauled and tested at intervals not exceeding 5 years - Date last done	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.53 - Have lifeboat falls been turned end-for-end at intervals not more than 30 months as required? (Log the date.)	Grade - Fix		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.54 - Have lifeboat falls been turned end-for-end at intervals not more than 30 months as required? (Log the date) - Date last done	Grade - Fix		No			

Maritec Tanker Management Private Limited

01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.55 - Have lifeboat falls been renewed at intervals not exceeding 4 years?	Grade - Ok	25-09-18	No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.56 - Have lifeboat falls been renewed at intervals not exceeding 4 years - Date last done	Grade - Ok	25-09-18	No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.57 - Are davit brakes in satisfactory condition and have they been tested?		15-10-18	No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.58 - Have davit winch brakes been thoroughly examined at intervals not exceeding 5 years?		15-10-18	No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.59 - Have davit winch brakes been thoroughly examined at intervals not exceeding 5 years - Date last done		15-10-18	No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.60 - Is tricing pennant/connector in satisfactory condition and is tricing pennant the proper length?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.61 - Are embarkation ladders for lifeboats in satisfactory condition?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.62 - Are embarkation lights working properly and able to illuminate the water? Is embarkation station in satisfactory condition (gates, handrails, etc.)?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.63 - Are the embarkation lights on the emergency circuit?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.64 - Are launching instructions displayed near stations under emergency lights?	Grade - Ok		No			

Maritec Tanker Management Private Limited

01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.65 - Is the raised access deck to lifeboats in satisfactory condition?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.66 - Are embarkation areas free from unauthorized gear?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.67 - Is only one type of releasing gear used for similar survival craft?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.68 - Are the release mechanisms clearly marked in a contrasting color?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.02 - Lifeboats /Rescue Boats	01.02.69 - For rescue boats, has the means for towing been examined and found satisfactory?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.05 - Lifesaving Appliances - Query	01.03.08 - Fridge Rooms: Lock - In alarm - Date last test done	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.05 - Lifesaving Appliances - Query	01.03.09 - Are Immersion suits/anti-exposure suits provided for	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.05 - Lifesaving Appliances - Query	01.03.10 - Are Thermal protective aids provided for persons not	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.05 - Lifesaving Appliances - Query	01.03.11 - Lifebuoys Cargo Ship (Quantities) No. vs. Vsl L L<100m (8) L<150m (10) L<200m (12) L=200m (14) -Is the proper number fitted port and starboard for rapid release with one at stern?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.05 - Lifesaving Appliances - Query	01.03.15 - Is each marked with vessel name and	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.05 - Lifesaving Appliances - Query	01.03.16 - Lifejackets - Are sufficient numbers provided for	Grade - Ok		No			

Maritec Tanker Management Private Limited

01.00 - Lifesaving Equipment	01.05 - Lifesaving Appliances - Query	01.03.17 - Lifejackets - Additional numbers provided for	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.27 - Fire Hoses - Is each fire hose, together with any necessary fittings and tools, kept ready for use in a conspicuous position near water service hydrants or connections?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.28 - Nozzles - Are required numbers of dual-purpose nozzles incorporating a shut off on board and in satisfactory condition (including gaskets)?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.29 - Have the international shore connection(s), including its gasket, 4 bolts and nuts, and 8 washers been examined and found satisfactory?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.30 - Are facilities provided for use of the connection on either side of the ship and have they been examined and tested (using the international shore connection to make a connection) and found satisfactory?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.31 - Main Fire Pumps - Operate satisfactorily?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.32 - Main Fire Pumps - Deliver required pressure?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.33 - Main Fire Pumps - Remote start tested (if applicable)?	Grade - Ok		No			

Maritec Tanker Management Private Limited

01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.34 - Emergency Fire Pump - Able to take adequate sea suction?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.35 - Emergency Fire Pump - Prime mover satisfactory?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.36 - Emergency Fire Pump - Operating instructions posted?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.37 - Emergency Fire Pump - Have the ventilation arrangements to the space containing the independent source of power for the emergency fire pump been examined and tested and found satisfactory?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.38 - Portable Fire Extinguishers (CO2, dry powder, foam, water) - Are required numbers per Fire Control Plan properly located in accommodation spaces, service spaces, engine room, navigation bridge and radio room?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.39 - Portable Fire Extinguishers (CO2, dry powder, foam, water) - Have they been serviced at intervals as specified by Flag Administration?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.41 - Portable Foam Applicators - Are inductor type foam nozzle, 20 liter portable tank and 1 spare tank satisfactory?	Grade - Ok		No			

Maritec Tanker Management Private Limited

01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.42 - Portable Foam Applicators - Has hose connection to fire main been tested and found satisfactory?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.43 - Portable Foam Applicators - Has foam concentrate been tested and replaced as specified by Flag Administration?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.44 - Fireman's Outfit - Are required numbers of sets on board? Cargo Ship - 2 sets	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.45 - Fireman's Outfit - Tanker - 4 sets Are protective clothing, boots, gloves, rigid helmets, electric safety lamps and axes in good condition?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.46 - Fireman's Outfit - Are 2 spare changes provided for each unit?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.47 - Fireman's Outfit - Are storage locations clearly marked and indicated on Fire Control Plan?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.48 - Fireman's Outfit - Air compressor, last inspection? Air quality test, last done ?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.49 - Paint Locker Fire Protection - Are fixed CO2, dry powder, or water spray system or portable extinguisher, if approved by Flag	Grade - Ok		No			

Maritec Tanker Management Private Limited

01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.50 - Inert Gas System (Tankers DWT>20K) - Is the system including piping, PV valves, branch lines, deck water seal and loop arrangement and associated equipment in satisfactory condition?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.51 - Gas Measurement (Tankers) - Are portable oxygen meter and flammable gas detector calibrated with set of spares?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.52 - Emergency Lighting - Is the lighting in machinery spaces, accommodation, navigation bridge, control stations and passageways satisfactory?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.53 - Means of Escape - Are escape routes free of obstructions and provided with emergency lighting?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.54 - Emergency Escape Breathing Devices - Positioned in accommodation and machinery spaces as required by Flag Administration and shown on the Fire Control Plan?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.55 - Emergency Escape Breathing Devices - Are units serviced in accordance with manufacturer's recommendations?	Grade - Ok		No			

Maritec Tanker Management Private Limited

01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.56 - Deep-Fat Cooking Equipment Fire Extinguishing System - Is extinguishing system serviced and controls clearly labeled?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.59 - Cargo Pump Room Protection - Is lighting/ventilation interlock working?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.60 - Cargo Pump Room Protection - Are continuous hydrocarbon monitoring system and alarms working?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.61 - Cargo Pump Room Protection - Is pump shaft gland monitoring and alarm system working?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.62 - Cargo Pump Room Protection - Is bilge level monitoring and alarm system working?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.63 - Foam Type Extinguisher (Capacity 135 Liters) - Is reel-mounted hose in good condition and able to reach entire space protected?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.64 - Foam Type Extinguisher (Capacity 45 Liters) - Are the required numbers of Type Approved units fitted per Fire Control Plan properly located in machinery spaces containing internal combustion machinery or steam turbines or enclosed steam engines?	Grade - Ok		No			

Maritec Tanker Management Private Limited

01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.65 - Foam Type Extinguisher (Capacity 135 Liters) - Are required numbers of Type Approved units fitted per Fire Control Plan properly located in machinery spaces containing oil fired boilers or fuel oil units?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.66 - Foam Type Extinguisher (Capacity 135 Liters) - Have they been serviced at intervals and foam replaced as specified by Flag Administration?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.67 - Fixed Fire Extinguishing Systems in Machinery and Cargo Spaces (CO , foam, water spray) Note: Storage space access door to open outward - Are distribution pipes and nozzles satisfactory without excessive corrosion?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.68 - Fixed Fire Extinguishing Systems in Machinery and Cargo Spaces (CO , foam, water spray) Note: Storage space access door to open outward - Is distribution piping periodically blown through to confirm no blockages?	Grade - Ok		No			

Maritec Tanker Management Private Limited

01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.69 - Fixed Fire Extinguishing Systems in Machinery and Cargo Spaces (CO , foam, water spray) Note: Storage space access door to open outward - Are CO2 cylinders weighed and serviced as specified by Flag Administration?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.70 - Fixed Fire Extinguishing Systems in Machinery and Cargo Spaces (CO , foam, water spray) Note: Storage space access door to open outward - Is cylinder hydro tested per Flag Administration requirements?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.71 - Fixed Fire Extinguishing Systems in Machinery and Cargo Spaces (CO , foam, water spray) Note: Storage space access door to open outward - Is CO2 release alarm periodically tested?	Grade - Ok		No			

Maritec Tanker Management Private Limited

01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.72 - Fixed Fire Extinguishing Systems in Machinery and Cargo Spaces (CO , foam, water spray) Note: Storage space access door to open outward - Is foam liquid tested at intervals specified by Flag Administration and is Test Certificate available on board?	Grade - Ok	sept 2018	No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.73 - Fire Detection and Alarm Systems - Have scheduled inspections and tests been carried out?	Grade - Ok		No			
01.00 - Lifesaving Equipment	01.06 - Firefighting Equipment - Query	01.04.74 - F. O. Tank Quick Acting Shut Off Valves (Capacity>500L) - Is satisfactory operation of remote closing arrangements confirmed?	Grade - Ok	sept 2018	No			